

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	20	(fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)) and (safety near availabilit\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 08:27
L2	2	((fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)) and ((online or (on adj line)) with failsafe\$1)) and integrit\$4 and safe\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 07:01
L3	2	((fail\$5 or error\$1 or fault\$3) with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)) and ((online or (on adj line)) with failsafe\$1)) and integrit\$4 and safe\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 07:03
L4	0	((fail\$5 or error\$1 or fault\$3) with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)) and ((online or (on adj line)) with integrot\$5)) and integrit\$4 and safe\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 07:03
L5	39	((fail\$5 or error\$1 or fault\$3) with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)) and ((online or (on adj line)) with integrit\$5)) and integrit\$4 and safe\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 07:06
L6	39	((fail\$5 or error\$1 or fault\$3) with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)) and ((online or (on adj line)) with integrit\$5) and integrit\$4 and safe\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 07:10
L7	36	((fail\$5 or error\$1 or fault\$3) near (rate\$1)) and ((online or (on adj line)) with integrit\$5) and integrit\$4 and safe\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 07:08
L8	17	((fail\$5 or error\$1 or fault\$3) with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)) and (online or (on adj line)) and (safe\$3 with integrit\$5) and integrit\$4 and safe\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 07:22
L9	8	((fail\$5 or error\$1 or fault\$3) near rate) and (online or (on adj line)) and (safe\$3 with integrit\$5) and integrit\$4 and safe\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 07:22

L12	27	"4632802"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 08:44
L13	360	(702/181).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 08:44
L14	1213	(702/182).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 08:44
L15	858	(702/183).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 08:45
L16	314	(702/184).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 08:45
L17	474	(702/185).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 08:45
L20	17	I13 and (fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)) and safe\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 08:47
L21	24	I14 and (fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)) and safe\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 08:50
L22	31	I15 and (fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)) and safe\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 08:51
L23	11	I16 and (fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)) and safe\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 08:52

L24	30	l17 and (fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)) and safe\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 09:02
L26	220	714/100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 09:01
L27	905	714/11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 09:01
L28	2	l26 and (fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)) and safe\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 09:02
L29	25	l27 and (fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)) and safe\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 09:02
S1	3	ADAMSKI-ROBERT-S	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 11:19
S2	7	POWERS-LESLIE-V	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 11:15
S3	3	MCCREA-STEELE-ROBIN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 11:19
S4	2	MCCREA-STEELE-R	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 11:16
S5	5	MCCREA-STEELE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 11:19

S7	30	(david with barron).inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 11:20
S8	351	invensys.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 11:18
S10	56	S8 and fail\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 11:20
S11	3	S8 and (fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 11:22
S12	2	S7 and (fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 11:23
S13	103	((fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)) with demand\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 11:51
S14	372	(safety with reliab\$6) and (fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 11:52
S15	19	(safety with reliab\$6) and (fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)) and (compar\$6 with (fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 12:02
S16	147	(safety with instrumen\$2 with function\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 12:02
S17	1	(safety with instrumen\$2 with function\$1) and (fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 12:09

S18	217	((asset\$6 or asses\$9) with manag\$7) and (fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 12:10
S19	110	((asset\$6 or asses\$9) near2 manag\$7) and (fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 12:10
S20	69	((asset\$6 or asses\$9) near2 manag\$7) and (fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)) and (safe\$6 or health)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 13:23
S21	160	(fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)) and (safe\$6 or health) and (fail\$5 with demand\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 13:24
S22	120	(fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)) and (safe\$6 or health) and (fail\$5 with demand\$1) and safe\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 13:47
S23	18	(fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)) and (safe\$6 or health) and (fail\$5 with demand\$1) and ((safe\$5 and asset\$1 or asses\$9) with (manag\$6 or software\$1 or program\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 13:25
S24	0	(fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)) and (safe\$6 or health) and (safe\$5 near inegrit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 13:49
S25	25	(fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)) and (safe\$6 or health) and (safe\$5 near integrit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 14:22
S26	7	(fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)) and (safe\$6 or health) and (safe\$5 near integrit\$3) and (online or (on adj line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 14:12

S27	2	(fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)) and (safe\$6 or health) and (failsafe\$5 with integrit\$3) and (online or (on adj line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 08:45
S28	34	(fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)) and (safe\$6 or health) and (safe\$5 near2 integrit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 14:33
S29	17	((fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)) same safe\$5 same integrit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 14:35
S30	47	((fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)) and ((online or on adj line) with integrit\$3)) and integrit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 16:02
S31	68	(fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)) and (asset near manag\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 15:02
S32	34	(fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)) and (asset near manag\$9) and integrit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 14:53
S33	39	(fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)) and (asset near manag\$9) and safe\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 16:00
S34	3	(fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)) and (asset near manag\$9) and safe\$3 and (compar\$7 with (fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 15:35
S35	47	((fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)) and ((online or (on adj line)) with integrit\$3)) and integrit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 16:03

S36	27	((fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)) and ((online or (on adj line)) with integrit\$3)) and integrit\$4 and (compar\$6 with ((fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 16:17
S37	39	((fail\$5 with (probab\$7 or likelihood or likelyhood\$1 or possiblilit\$5)) and ((online or (on adj line)) with integrit\$3)) and integrit\$4 and safe\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 07:00
S38	0	2004/0186927	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 17:13
S39	2	"20040186927"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 17:14
S40	1	S39 and (display\$3 same (alarm\$1 or alert\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 17:14